

EDI 834 Transaction Set File Layout													
Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
ST	Header	Header	010	ST		Transaction Set Header			Required			Indicates start of transaction set and assigns control number.	ST*834*6 ~
834					ST01	TS ID Code	Transaction Set Identifier Code		M	3	3	Code to identify transaction set type. Set benefit enrollment transaction set to 834.	Set to 834.
					ST02	TS Control Number	Transaction Set Control Number		M	4	9	Unique control number.	The transaction set control numbers in ST02 and SE02 must be identical. Assign starting with 0001 and increment forward. Control numbers are unique within a specific functional group but can repeat in other groups and interchanges.
					ST03	Implementation Convention Reference	Implementation Convention Reference		M	1	35	Reference assigned to identify Implementation Convention	Set to 005010X220A1. This field contains the same value as GS08.
BGN	Header	Header	020	BGN		Beginning Segment			Required			Indicates the beginning of a transaction set.	BGN*00*000000000000196*20000309*1356****2~
					BGN01	TS Purpose Code	Transaction Set Purpose Code		M	2	2	00 = Original. First time transaction sent 15 = Resubmission. Corrected transaction, original not yet processed by receiver. 22 = Information Copy. Same as original transmission.	Default to '00'
					BGN02	Reference Ident	Reference Identification Transaction Set Identifier Code		M	1	30	Unique control number.	Set to a unique identifying reference number.
					BGN03	Date	Date Transaction Set Creation Date		M	8	8	CCYYMMDD	System generated. Set to 8 positions. Format: ccyyymmdd
					BGN04	Time	Time Transaction Set Creation Time		M	4	8	Can be HHMM, HHMMSS, HHMMSSD, or HHMMSSDD (D = decimal seconds)	System generated. Format: hhmmss
					BGN05	Time Code	Time Code Time Zone Code		S	2	2	CD Central Daylight Time,CS Central Standard Time,CT Central Time,ED Eastern Daylight Time,ES Eastern Standard Time,ET Eastern Time,MD Mountain Daylight Time,MS Mountain Standard Time,MT Mountain Time,PT Pacific Time. If BGN05 , then BGN04 is required.	Optional. Not used.
					BGN06	Reference Ident	Reference Identification Transaction Set Identifier Code		O	1	30	If BGN01 = 15 or 22, then cross reference Reference Ident of the original transaction.	Optional. If 00 then not used. If 15 or 22 then write original transaction ref id number.
					BGN07	Transaction Type Code - Not Used			n/a	2	2		n/a
					BGN08	Action Code	Reference Identification Transaction Set Identifier Code		M	1	2	2 = Change (Update) - Identifies transactions for additions, terminations and changes to current enrollment 4 = Verify - Identifies system compare or verify partner's systems	Required Default = 2
REF	Header	Header	030	REF		Transaction Set Policy Number			Situational			Segment is used if a unique ID number applies to the entire transaction set.	REF*38*0000~
38					REF01	Reference Ident Qual	Reference Identification Qualifier		M	2	3	38 = Master policy number code.	Set to 38.
					REF02	Reference Ident	Reference Identification Master Policy Number		X	1	30	Master Policy Number. At least one REF02 is required.	Set to master policy number. Value to be supplied by Carrier Default =00000
DTP	Header	Header	040	DTP		File Effective Date			Situational				Carrier information requirement can adequately be satisfied without it. Data element is not used.

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
					DTP01		Date/Time Qualifier	Date/Time Qualifier	M	3	3	007 = Effective 303 = Maintenance Effective 382 = Enrollment 388 = Payment Commencement	Not used
D8					DTP02		Date Time Format Qual	Date Time Period Format Qualifier	M	2	3	D8 = Date expressed in CCYYMMDD.	Not used
					DTP03		Date Time Period	Date Time Period	M	1	35		Not used

1000A Sponsor Name													
N1	Header	1000A Sponsor Name	070	N1		Sponsor Name			Required			Identifies the organization paying for the coverage by type, name, and code. At least one N102 or N103 is required.	N1*P5*NEW YORK STATE*FI*141788609~
P5					N101	Entity ID Code	Entity Identifier Code		M	2	3	P5 = Plan Sponsor.	Set to P5.
					N102	Name			X	1	0	NEW YORK STATE	NEW YORK STATE
					N103	ID Code Qualifier	Entity Identifier Code		X	1	2	FI = Federal Taxpayers Identification Number. ZZ = Mutually Defined (HIPAA Id) If N104 present then required.	Set to FI = Federal Taxpayers Identification Number. Once National Payer ID is mandated, then use ZZ.
					N104	ID Code	Identification Code Sponsor Identifier		X	2	80	Sponsor Identifier. If N103 present then required.	Set to 146013200

1000B Payer Name													
N1	Header	1000B Payer Name	070	N1		Payer Name			Required			Identifies the insurance company (receiver) type, name, and code. At least one N102 or N103 is required.	N1*IN**FI*123456789~
IN					N101	Entity ID Code	Entity Identifier Code		M	2	3	IN = Insurer.	Set to IN.
					N102	Name			n/a	1	60	Not used.	Set to placeholder.
					N103	ID Code Qualifier	Entity Identifier Code		X	1	2	FI = Federal Taxpayers Identification Number. XV = Health Care Financing Administration National Payer Identification. If N104 present then required.	FI = Federal Taxpayers Identification Number. XV = Health Care Financing Administration National Payer Identification. Once National Payer ID is mandated, then use only XV
					N104	ID Code	Identification Code Insurer Identification Code		X	2	80	Insurer identification code. If N103 present then required.	Data not captured by a PS field. Value to be supplied by carrier.

1000C Broker Name													
N1	Header	1000C Broker Name	70	N1		TPA/Broker Name			Situational			Identifies TPA/broker organization by type, name, and code. At least one N102 or N103 is required.	Segment does not apply.
n/a					N101	Entity ID Code	Entity Identifier Code		M	2	3	BO = Broker TV = Third party admin	n/a
Not used					N102	Name - Not Used			n/a	1	60	Not used.	n/a
n/a					N103	ID Code Qualifier	Entity Identifier Code		X	1	2	94 = Code assigned by receiving organization FI = Federal Taxpayers Identification Number. XV = Health Care Financing Administration National Payer Identification. If N104 present then required.	n/a
n/a					N104	ID Code	Identification Code TPA or Broker Identification		X	2	80	TPA or Broker Identification code. If N103 present then required.	n/a

1100C Broker Account													
ACT	Header	1100C Broker Account	120	ACT		TPA/Broker Account Information			Situational			Specifies account information if different than account number of sponsor.	Segment does not apply.
n/a					ACT01	Account Number	TPA or Broker Account Number		M	1	35	Account number assigned.	n/a
Not used					ACT02	Name - Not Used			n/a	1	60		n/a
Not used					ACT03	ID Code Qual - Not Used			n/a	1	2		n/a
Not used					ACT04	ID Code - Not Used			n/a	2	80		n/a
Not used					ACT05	Acct Num Qual-Not Used			n/a	1	3		n/a
n/a					ACT06	Account Number			X	1	35	Account number - more than one account number applies to this transaction.	n/a

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		

2000 Member Detail													
INS	Detail	2000 Member Detail	010	INS		Member Level Detail			Optional			Provides insured benefit information for subscriber and dependents. Subscriber information must precede dependent information or have been submitted in a previous transmission.	INS*Y*18*021**A*E**FT**N~
					INS01	Yes/No Cond Resp Code	Yes/No Condition or Response Code Subscriber Indicator		M	1	1	N = No Status of Insured is dependent. Y = Yes Status of insured is subscriber.	N = No Status of Insured is dependent. Y = Yes Status of insured is subscriber.
					INS02	Individual Relat Code	Individual Relationship Code		M	2	2	01 = Spouse 18 = Self 19 = Child 25 = Ex-spouse 53 = Life partner 38 = Collateral dependent	Set SP = 01 Set subscriber = 18 Set S and D = 19 Set X = 25 Set DP = 53 Set O = 38
					INS03	Maintenance Type Code	Maintenance Type Code		O	3	3	001 = Change 021 = Addition 024 = Cancellation or termination 025 = Reinstatement 030 = Audit or compare	001 = Change 021 = Addition 024 = Cancellation or termination 025 = Reinstatement 030 = Audit or compare
					INS04	Maintain Reason Code	Maintenance Reason Code		O	2	3	01 = Divorce 02 = Birth 03 = Death 04 = Retirement 05 = Adoption 06 = Strike 07 = Termination of Benefits 08 = Termination of Employment 09 = COBRA 10 = COBRA Premium Paid 11 = Surviving Spouse 14 = Voluntary Withdrawal 15 = Primary Care Provider Change 16 = Quit 17 = Fired 18 = Suspended 20 = Active 21 = Disability 22 = Plan Change 25 = Change in Identifying Data Elements 26 = Declined Coverage 27 = Pre-Enrollment 28 = Initial Enrollment 29 = Benefit Selection 31 = Legal Separation 32 = Marriage 33 = Personnel Data 37 = Leave of Absence with Benefits 38 = Leave of Absence without Benefits 39 = Lay Off with Benefits 40 = Lay Off without Benefits 41 = Re-enrollment 43 = Change of Location XN = Notification Only XT = Transfer	Use of this segment is limited to identify a change in Benefit Program and Termination Reason for Conversion of Coverage. Set Termination of Benefits = 07 Set Termination of Employment = 08 Set change in Benefit Program = 22 Set Plan Change = 22 Set Alternate Identifier Change = 25 Set Initial Enrollment = 28 Set Re-enrollment = 41
					INS05	Benefit Status Code	Benefit Status Code		O	1	1	Type coverage for which benefits paid A= Active C = Cobra S = Surviving Insured T = Tax equity and fiscal responsibility act	Type of Set default to 'A' unless termination, Cobra or surviving spouse Valid values are 'A', 'C', and 'S' TEFRA is a medical assistance program for families with children with disabilities. Eligibility is determined based on medical and level of care criteria.

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
					INS06		Medicare Plan Code	Medicare Plan Code	O	1	1	A = Medicare Part A B = Medicare Part B C = Medicare Part A and B D = Medicare E = No Medicare	Currently only track Medicare Part B Valid values are 'B' and 'E'
					INS07		Cobra Qual Event Code	Cobra Qualifying Event Code	O	1	2	1 = Termination of Employment 2 = Reduction of work hours 3 = Medicare 4 = Death 5 = Divorce 6 = Separation 7 = Ineligible Child 8 = Bankruptcy of a Retired Employee	1 = Termination of Employment 2 = Reduction of work hours 3 = Medicare 4 = Death 5 = Divorce 6 = Separation 7 = Ineligible Child 8 = Bankruptcy of a Retired Employee
					INS08		Employment Status Code	Employment Status Code	O	2	2	If enrollment is in a non employment based program such as medicare, then use status of subscriber in that program. AO = Active Military - Overseas AU = Active Military - USA FT = Full Time Active L1 = Leave of Absence PT = Part Time Active RT = Retired TE = Terminated	Subscriber only Valid values are: FT PT TE RT L1
					INS09		Student Status Code	Student Status Code	O	1	1	F = Full-time N = Not a student P = Part-time	F = Full-time N = Not a student
					INS10		Yes/No Cond Resp Code	Yes/No Condition or Response Code Handicap Indicator	O	1	1	Handicap indicator: N = no Y = yes	For dependent only
D8					INS11		Date Time Format Qual	Date Time Period Format Qualifier	X	2	3	D8 = Date expressed in CCYYMMDD If INS12 present then required.	Set to D8
					INS12		Date Time Period	Date Time Period Insured Individual Death Date	X	1	35	Date of Death If INS11 present then required.	Dependent date of death not captured on the database
Not used					INS13		Confidentiality - Not Used		n/a			Not used.	Set to placeholder.
Not used					INS14		City Name - Not Used		n/a			Not used.	Set to placeholder.
Not used					INS15		State Code - Not Used		n/a			Not used.	Set to placeholder.
Not used					INS16		Country Code - Not Used		n/a			Not used.	Set to placeholder.
					INS17		Number	Number	O	1	9	Not available	Not a PeopleSoft delivered database element. Data for this element is not available.

REF	Detail	2000 Member Detail	020	REF	Subscriber Number		Required			Specifies identifying information. Segment contains a unique SUBSCRIBER Id Number (SSN or other) This occurrence identified by the OF qualifier. Identifier is used in order to link subscriber with dependents.	REF*0F*123456789~
OF				REF01	Reference Ident Qual	Reference Identification Qualifier	M	2	3	OF = Subscriber Number.	Set to 0F (zero f).
				REF02	Reference Ident	Reference Identification Subscriber Identifier	X	1	30	At least one REF02 is required.	Social security number should be used until the National identifier is available.

REF	Detail	2000 Member Detail	020	REF	Member Policy Number		Situational			Specifies identifying information. Segment is used if group number applies to all coverage data for the member.	REF*1L*NYSLWOP~
				REF01	Reference Ident Qual	Reference Identification Qualifier	M	2	3	1L = Group or Policy Number	Set to 1L.
				REF02	Reference Ident	Reference Identification Insured Group or Policy Number	X	1	30	At least one REF02 is required	Join Company and Ben_Status Valid Company Values: PA ,PE ,NYS, MTH Valid Benefit Statuses: DISP,FAML,IMIL,LPTA,LTDS,LWOP, MILL,PRFL,STDS,WCDF,WCLV, WCMC,WCLR, RTNA. If 'CBL' then = '0030666'

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
REF	Detail	2000 Member Detail	020	REF		Member Identification Number			Situational			Specifies identifying information. Segment is used to send additional member information.	REF*23*891234567~
					REF01	Reference Ident Qual	Reference Identification Qualifier	M	2	3		23 = Client Number	Set to 23
					REF02	Reference Ident	Reference Identification Subscriber Supplemental Identifier	X	1	30		Subscriber Supplemental Identifier. At least one REF02 is required.	Bea_Altid
REF	Detail	2000 Member Detail	020	REF		Member Identification Number			Situational			Specifies identifying information. Segment is used to send additional member information.	REF*DX*00001~
					REF01	Reference Ident Qual	Reference Identification Qualifier	M	2	3		DX = Department/Agency Number	Set to DX
					REF02	Reference Ident	Reference Identification Subscriber Supplemental Identifier	X	1	30		Subscriber Supplemental Identifier. At least one REF02 is required.	Cust_Id If 'HIP' and CUSTID = '00001' then map DEPTID If 'UHG' and txn for dep then add dep # to end of CUSTID field
REF	Detail	2000 Member Detail	020	REF		Member Identification Number			Situational			Specifies identifying information. Segment is used to send additional member information.	REF*F6*123456789A~
					REF01	Reference Ident Qual	Reference Identification Qualifier	M	2	3		F6 = Health Insurance Claim(HIC) Number	Set to F6
					REF02	Reference Ident	Reference Identification Subscriber Supplemental Identifier	X	1	30		Subscriber Supplemental Identifier. At least one REF02 is required.	Health Insurance Claim(HIC) Number
REF	Detail	2000 Member Detail	020	REF		Member Identification Number			Situational			Specifies identifying information. Segment is used to send additional member information.	REF*Q4*999999999~
					REF01	Reference Ident Qual	Reference Identification Qualifier	M	2	3		Q4 = Prior Identification Number	Set to Q4
					REF02	Reference Ident	Reference Identification Subscriber Supplemental Identifier	X	1	30		Subscriber Supplemental Identifier. At least one REF02 is required.	Previous Subscriber SSN covered under.
REF	Detail	2000 Member Detail	020	REF		Member Identification Number			Situational			Specifies identifying information. Segment is used to send additional member information.	REF*6O*999999999~
					REF01	Reference Ident Qual	Reference Identification Qualifier	M	2	3		6O = Cross Reference Number	Set to 6O
					REF02	Reference Ident	Reference Identification Subscriber Supplemental Identifier	X	1	30		Subscriber Supplemental Identifier. At least one REF02 is required.	This number is used to tie the Surviving Insured back to the original Subscriber ID.
REF	Detail	2000 Member Detail	020	REF		Member Identification Number			Situational			Specifies identifying information. Segment is used to send additional member information.	REF*ZZ*E~
					REF01	Reference Ident Qual	Reference Identification Qualifier	M	2	3		ZZ = Mutually Defined	Set to ZZ
					REF02	Reference Ident	Reference Identification Subscriber Supplemental Identifier	X	1	30		Subscriber Supplemental Identifier. At least one REF02 is required.	Valid values are: 'E' = Employee Rate 'T' = Total Rate
DTP	Detail	2000 Member Detail	025	DTP		Member Level Dates			Situational			Specifies date, time, and time period for member enrollment and benefit changes.	DTP*336*D8*20000207~

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
					DTP01		Date/Time Qualifier	Date/Time Qualifier	M	3	3	286 = Retirement 296 = Return to Work 297 = Date Last Worked 300 = Enrollment Signature Date 301 = Cobra Qualifying Event 303 = Maintenance Effective 336 = Employment Begin 337 = Employment End 338 = Medicare Begin 339 = Medicare End 340 = Cobra Begin 341 = Cobra End 350 = Education Begin 351 = Education End 356 = Eligibility Begin 357 = Eligibility End 383 = Adjusted Hire 393 = Plan Participation Suspension 394 = Rehire 473 = Medicaid Begin 474 = Medicaid End	Valid values are: 303 = Maintenance Effective 336 = Employment Begin 338 = Medicare Begin 339 = Medicare End
DTP	Detail	2000 Member Detail	025	DTP		Member Level Dates			Situational			Specifies date, time, and time period for member enrollment and benefit changes.	DTP*336*D8*20000207~
					DTP01		Date/Time Qualifier	Date/Time Qualifier	M	3	3	286 = Retirement 296 = Return to Work 297 = Date Last Worked 300 = Enrollment Signature Date 301 = Cobra Qualifying Event 303 = Maintenance Effective 336 = Employment Begin 337 = Employment End 338 = Medicare Begin 339 = Medicare End 340 = Cobra Begin 341 = Cobra End 350 = Education Begin 351 = Education End 356 = Eligibility Begin 357 = Eligibility End 383 = Adjusted Hire 393 = Plan Participation Suspension 394 = Rehire 473 = Medicaid Begin 474 = Medicaid End	Valid values are: 303 = Maintenance Effective 336 = Employment Begin 338 = Medicare Begin 339 = Medicare End
					DTP02		Date Time Format Qual	Date Time Period Format Qualifier	M	2	3	D8 = Date expressed in CCYYMMDD.	Set to D8
					DTP03		Date Time Period	Date Time Period Status Information Effective Date	M	1	35		Effective Date

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		

2100A Member Name														
NM1	Detail	2100A Member Name	030	NM1	Member Name				Required					
													Segment identifies member being enrolled, changed, or corrected.	NM1*IL*1*SMITH*JOHN*M**SR*34*123456789~
					NM101	Entity ID Code	Entity Identifier Code		M	2	3		74 = Transmission is correcting the identifier information on a member already enrolled. Usage of this code requires the sending of an NM1 with code '70' in loop 2100B. IL = Enrollment of a new member or update of a member with no change in identifying information. The identifying information for a member is specified under the insurance contract between the sponsor and payer.	Set to 74 if changing existing identifying information. Set to IL for new enrollment or change not related to identifying information.
1					NM102	Entity Type Qualifier	Entity Type Qualifier		M	1	1		1 = Person.	Set to 1.
					NM103	Name Last/ Org Name	Name Last or Organization Name Subscriber Last Name		O	1	35			Member Last Name
					NM104	Name First	Name First Subscriber First Name		O	1	25			Member First Name
					NM105	Name Middle	Name Middle Subscriber Middle Name		O	1	25			Member Middle Name
					NM106	Name Prefix - Not Used								Not used
					NM107	Name Suffix	Name Suffix Subscriber Name Suffix		O	1	10			Member Name Suffix
					NM108	ID Code Qualifier			X	1	2		34 = Social security number. ZZ = Mutually defined Use of NM109 is required with NM108.	For BCBS,CBL,ESI, set to ZZ. All other carriers, set to 34 If value is invalid ssn then set to ZZ
					NM109	ID Code	Identification Code Subscriber Identifier		X	2	80		Use of NM108 is required with NM109.	For BCBS, CBL,ESI set to ssn + dependent_benef. All other carriers set to ssn until the National identifier is available

2100A Member Communications Numbers														
PER	Detail	2100A Member Name	040	PER	Member Communications Numbers				Situational					
													Identifies where administrative communication should be sent.	PER*IP**TE*518/229-0457~
IP					PER01	Contact Funct Code	Contact Function Code		M	2	2		IP = Insured Party	Set to IP
					PER02				n/a	1	60		Name - Not Used.	Set to placeholder.
TE					PER03	Comm Number Qual	Communication Number Qualifier		X	2	2		EM = Electronic Mail EX = Telephone Extension FX = Facsimile HP = Home Phone Number TE = Telephone WP = Work Phone Number If PER04 present then required.	Set to TE (if available)
					PER04	Comm Number	Communication Number		X	1	80		If PER03 present then required.	Format: 9999999999
TE					PER05	Comm Number Qual	Communication Number Qualifier		X	2	2		EM = Electronic Mail EX = Telephone Extension FX = Facsimile HP = Home Phone Number TE = Telephone WP = Work Phone Number If PER06 present then required.	Not used
					PER06	Comm Number	Communication Number		X	1	80		If PER05 present then required.	Not used
					PER07	Comm Number Qual	Communication Number Qualifier		X	2	2		If PER08 present then required.	Not used
					PER08	Comm Number	Communication Number		X	1	80		If PER07 present then required.	Not used

2100A Member Residence Street Address														
N3	Detail	2100A Member Name	050	N3	Member Residence Street Address				Situational					
													Identifies location of member. Send for subscriber and dependents.	N3*81 COLUMBIA STREET~
					N301	Address Information	Address Information Subscriber Address Line		M	1	55			Address line 1
					N302	Address Information	Address Information Subscriber Address Line		O	1	55			Address line 2

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
N4	Detail	2100A Member Name	060	N4		Member Residence City, State, ZIP Code			Situational			Identifies location of member. Send for subscriber and dependents.	N4*ALBANY*NY*122100000*USA*~
					N401	City Name	City Name Subscriber City Name		O	2	30		City Name
					N402	State or Prov Code	State or Province Code Subscriber State Code		O	2	2		State or Prov Code
					N403	Postal Code	Postal Code Subscriber Postal Code		O	3	15		Postal Code
					N404	Country Code	Country Code		O	2	3		Country
CY					N405	Location Qualifier	Location Qualifier		O	1	2	CY = County	Set to CY
					N406	Location Identifier	Location Identifier Location Identification Code (County)		O	1	30	If N406 is present then N405 is required.	County

DMG	Detail	2100A Member Name	080	DMG		Member Demographics			Situational			This segment is required for dependents until the national identifier for individuals is available. Once a national identifier is available, the national identifier should be sent in NM109. If DMG01 or DMG02 is present, then other is required.	DMG*D8*19720310*M*1~
D8					DMG01	Date Time format Qual	Date Time Format Qualifier		X	2	3	D8 = Date expressed in CCYYMMDD.	Set to D8.
					DMG02	Date Time Period	Date Time Period Member Birth Date		X	1	35	Date of Birth.	Date of Birth.
					DMG03	Gender Code	Gender Code		O	1	1	F = female M = male U = unknown	F = female M = male U = unknown
					DMG04	Marital Status Code	Marital Status Code		O	1	1	B = Registered Domestic Partner D = Divorced I = Single M = Married R = Unreported S = Separated U = Unmarried(single,divorced,widowed) W = Widowed X = Legally Separated	Set C, Common Law = M Set D, Divorced = D Set E, Separated = S Set H, Head Household = U Set M, Married = M Set S, Single = I Set U, Unknown = R Set W, Widowed = W
					DMG05	Race or Ethnic Code	Race or Ethnic Code		O	1	1		Not Used
					DMG06	Citizen Status Code	Citizen Status Code		O	1	2		Not Used

LUI	Detail	2100A Member Name	150	LUI		Member Language			Situational			Used if member's language is other than english. This data should only be transmitted when required by the insurance contract and allowed by federal and state regulations.	Not used
					LUI01	ID Code Qualifier	Identification Code Qualifier		X	1	2	Use of LUI02 is required with LUI01.	Not used
					LUI02	ID Code	Identification Code Language Code		X	2	80	Use of LUI01 is required with LUI02.	Not used
					LUI03	Description	Description Language Description		X	1	80		Not used
					LUI04	Use of Lang Indica	Use of Language Indicator Language Use Indicator		O	1	2		Not used

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		

2100B Incorrect Member Name													
NM1	Detail	2100B Incorrect Member Name	030	NM1		Incorrect Member Name			Situational			Segment is used only with a corrected name in loop 2100A.	NM1*70*1*SMITH*JON***34*987654321~
70					NM101	Entity ID Code	Entity Identifier Code		M	2	3	70 = Prior Incorrect Insured Use if correcting identifier information on a member already enrolled. Send NM1 with code 74 in loop 2100A.	Set to 70.
1					NM102	Entity Type Qualifier	Entity Type Qualifier		M	1	1	1 = Person	Set to 1
					NM103	Name Last/ Org Name	Name Last or Organization Name Prior Incorrect Insured Last Name		O	1	35		Prior Incorrect Insured Last Name
					NM104	Name First	Name First Prior Incorrect Insured First Name		O	1	25		Prior Incorrect Insured First Name
					NM105	Name Middle	Name Middle Prior Incorrect Insured Middle Name		O	1	25		Prior Incorrect Insured Middle Name
					NM106	Name Prefix	Name Prefix Prior Incorrect Insured Name Prefix		O	1	10		Set to placeholder.
					NM107	Name Suffix	Name Suffix Prior Incorrect Insured Name Suffix		O	1	10		Prior Incorrect Insured Name Suffix
34					NM108	ID Code Qualifier	Identification Code Qualifier		X	1	2	34 = Social security number. ZZ = Mutually Defined Use of NM109 is required with NM108.	For BCBS, CBL, ESI, set to ZZ All other carriers, set to 34
					NM109	ID Code	Identification Code Prior Incorrect Insured Identifier		X	2	80	Use of NM108 is required with NM109.	For BCBS, CBL, ESI set to ssn + dependent_benef. All other carriers set to ssn

DMG	Detail	2100B Incorrect Member Name	080	DMG		Incorrect Member Demographics			Situational			Segment used only if demographic information, such as date of birth is used to identify a member and it is being changed.	DMG*D8*19740311~
D8					DMG01	Date Time Format Qual	Date Time Period Format Qualifier		M	2	3	D8 = Date expressed in CCYYMMDD.	Set to D8.
					DMG02	Date Time Period	Date Time Period Prior Incorrect Insured Birth Date		X	1	35	Prior incorrect insured birth date. Use of DMG01 is required with DMG02.	Prior Incorrect Insured Birth Date
					DMG03	Gender Code	Gender Code		O	1	1	F = female M = male U = unknown	F = female M = male U = unknown

2100C Member Address													
NM1	Detail	2100C Member Address	030	NM1		Member Mailing Address			Situational			This loop is sent if the member has a different mailing address from the residence address in loop 2100A.	NM1*31*1~
31					NM101	Entity ID Code	Entity Identifier Code		M	2	3	31 = Postal Mailing Address	Set to 31
1					NM102	Entity Type Qualifier	Entity Type Qualifier		M	1	1	1 = Person	Set to 1

N3	Detail	2100C Member Address	050	N3		Member Mail Street Address			Situational			This loop is sent if the member has a different mailing address from the residence address in loop 2100A.	N3*P.O. BOX 12334~
					N301	Address Information	Address Information Subscriber Address Line		M	1	55		Address Information
					N302	Address Information	Address Information Subscriber Address Line		O	1	55		Address Information

N4	Detail	2100C Member Address	060	N4		Member Mail City, State, Zip			Situational			This loop is sent if the member has a different mailing address from the residence address in loop 2100A.	N4*ALBANY*NY*122100000*USA*~
					N401	City Name	City Name Subscriber City Name		O	2	30		City Name
					N402	State or Prov Code	State or Province Code Subscriber State Code		O	2	2		State or Prov Code
					N403	Postal Code	Postal Code Subscriber Postal Code		O	3	15		Postal Code
					N404	Country Code	Country Code		O	2	3		Country Code
Not Used					N405	Location Qualifier-not used			n/a				Not Used
Not Used					N406	Location Identifier-not used			n/a				Not Used

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
2100D Member Employer													
NM1	Detail	2100D Member Employer	030	NM1		Member Employer			Situational			This loop is to be sent when the member is employed by someone other than the sponsor and the insurance contract requires the payer be notified of such employment.	Segment does not apply.
						NM101	Entity ID Code	Entity Identifier Code	M	2	3		n/a
						NM102	Entity Type Qualifier	Entity Type Qualifier	M	1	1		n/a
						NM103	Name Last/ Org Name	Name Last or Organization Name Insured Employer Name	O	1	35		n/a
						NM104	Name First	Name First Insured Employer First Name	O	1	25		n/a
						NM105	Name Middle	Name Middle Insured Employer Middle Name	O	1	25		n/a
						NM106	Name Prefix	Name Prefix Insured Employer Name Prefix	O	1	10		n/a
						NM107	Name Suffix	Name Suffix Insured Employer Name Suffix	O	1	10		n/a
						NM108	ID Code Qualifier	Identification Code Qualifier	X	1	2	Use of NM109 is required with NM108.	n/a
						NM109	ID Code	Identification Code Insured Employer Identifier	X	2	80	Use of NM108 is required with NM109.	n/a
2100D Member Employer Communications Numbers													
PER	Detail	2100D Member Employer	040	PER		Member Employer Communications Numbers			Situational			When employer is applicable, segment identifies to whom administrative communications should be sent.	Segment does not apply.
						PER01	Contact Funct Code	Contact Function Code	M	2	2		n/a
						PER02	Name - Not Used		n/a	1	60	Name - Not Used.	n/a
						PER03	Comm Number Qual	Communication Number Qualifier	X	2	2	If PER04 present then required.	n/a
						PER04	Comm Number	Communication Number	X	1	80	If PER03 present then required.	n/a
						PER05	Comm Number Qual	Communication Number Qualifier	X	2	2	If PER06 present then required.	n/a
						PER06	Comm Number	Communication Number	X	1	80	If PER05 present then required.	n/a
						PER07	Comm Number Qual	Communication Number Qualifier	X	2	2	If PER08 present then required.	n/a
						PER08	Comm Number	Communication Number	X	1	80	If PER07 present then required.	n/a
2100D Member Street Address													
N3	Detail	2100D Member	050	N3		Member Employer Street Address			Situational			When employer is applicable, segment identifies employer address.	Segment does not apply.
						N301	Address Information	Address Information	M	1	55		n/a
						N302	Address Information	Address Information	O	1	55		n/a
2100D Member City, State, Zip													
N4	Detail	2100D Member Employer	060	N4		Member Employer City, State, Zip			Situational			When employer is applicable, segment identifies employer address.	Segment does not apply.
						N401	City Name	City Name	O	2	30		n/a
						N402	State or Prov Code	State or Province Code	O	2	2		n/a
						N403	Postal Code	Postal Code	O	3	15		n/a
						N404	Country Code	Country Code	O	2	3		n/a
						N405	Location Qualifier	Location Qualifier	O	1	2		n/a
						N406	Location Identifier	Location Identifier	O	1	30	If N406 is present then N405 is required.	n/a
2100E Member School													
NM1	Detail	2100E Member School	030	NM1		Member School			Situational			Loop is sent when member is enrolled in school and sponsor is required to notify payer.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Segment is not used.
						NM101	Entity ID Code	Entity Identifier Code	M	2	3		Not used
						NM102	Entity Type Qualifier	Entity Type Qualifier	M	1	1		Not used
						NM103	Name Last/ Org Name	Name Last or Organization Name	O	1	35		Not used

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
PER	Detail	2100E Member School	040	PER		Member School Communications Numbers			Situational			When school is applicable, segment identifies to whom administrative communications should be sent.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Segment is not used.
					PER01	Contact Funct Code	Contact Function Code		M	2	2	SK = School clerk	Not used
					PER02	Name - Not Used			n/a	1	60	Name - Not Used.	Set to placeholder.
					PER03	Comm Number Qual	Communication Number Qualifier		X	2	2	If PER04 present then required.	Not used
					PER04	Comm Number	Communication Number		X	1	80	If PER03 present then required.	Not used
					PER05	Comm Number Qual	Communication Number Qualifier		X	2	2	If PER06 present then required.	Not used
					PER06	Comm Number	Communication Number		X	1	80	If PER05 present then required.	Not used
					PER07	Comm Number Qual	Communication Number Qualifier		X	2	2	If PER08 present then required.	Not used
					PER08	Comm Number	Communication Number		X	1	80	If PER07 present then required.	Not used

N3	Detail	2100E Member School	050	N3		Member School Street Address			Situational			When school is applicable, segment identifies school address.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Segment is not used.
					N301	Address Information	Address Information		M	1	55		Not used
					N302	Address Information	Address Information		O	1	55		Not used

N4	Detail	2100E Member School	060	N4		Member School City, State, Zip			Situational			When school is applicable, segment identifies school address.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Segment is not used.
					N401	City Name	City Name		O	2	30		Not used
					N402	State or Prov Code	State or Province Code		O	2	2		Not used
					N403	Postal Code	Postal Code		O	3	15		Not used
					N404	Country Code	Country Code		O	2	3		Not used

2100F Custodial Parent													
NM1	Detail	2100F Custodial Parent	030	NM1		Custodial Parent			Situational			Loop is sent when custodial parent of a minor is someone other than the subscriber.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Could customize dependent/beneficiary or dependent/beneficiary comment panels. Customization not recommended.
					NM101	Entity ID Code	Entity Identifier Code		M	2	3		Not used
					NM102	Entity Type Qualifier	Entity Type Qualifier		M	1	1		Not used
					NM103	Name Last/ Org Name	Name Last or Organization Name		O	1	35		Not used
					NM104	Name First	Name First		O	1	25		Not used
					NM105	Name Middle	Name Middle		O	1	25		Not used
					NM106	Name Prefix	Name Prefix		O	1	10		Not used
					NM107	Name Suffix	Name Suffix		O	1	10		Not used
					NM108	ID Code Qualifier	Identification Code Qualifier		X	1	2	Use of NM109 is required with NM108.	Not used
					NM109	ID Code	Identification Code		X	2	80	Use of NM108 is required with NM109.	Not used

PER	Detail	2100F Custodial Parent	040	PER		Custodial Parent Communications Numbers			Situational			When custodial parent is applicable, segment identifies to whom administrative communications should be sent.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Segment is not used.
					PER01	Contact Funct Code	Contact Function Code		M	2	2		Not used
					PER02	Name - Not Used			n/a	1	60	Name - Not Used.	Not used
					PER03	Comm Number Qual	Communication Number Qualifier		X	2	2	If PER04 present then required.	Not used
					PER04	Comm Number	Communication Number		X	1	80	If PER03 present then required.	Not used
					PER05	Comm Number Qual	Communication Number Qualifier		X	2	2	If PER06 present then required.	Not used
					PER06	Comm Number	Communication Number		X	1	80	If PER05 present then required.	Not used
					PER07	Comm Number Qual	Communication Number Qualifier		X	2	2	If PER08 present then required.	Not used
					PER08	Comm Number	Communication Number		X	1	80	If PER07 present then required.	Not used

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
N3	Detail	2100F Custodial Parent	050	N3		Custodial Parent Street Address			Situational			When custodial parent is applicable, segment identifies custodial address.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Segment is not used.
					N301	Address Information	Address Information		M	1	55		Not used
					N302	Address Information	Address Information		O	1	55		Not used
N4	Detail	2100F Custodial Parent	060	N4		Custodial Parent City, State, Zip			Situational			When custodial parent is applicable, segment identifies custodial address.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Segment is not used.
					N401	City Name	City Name		O	2	30		Not used
					N402	State or Prov Code	State or Province Code		O	2	2		Not used
					N403	Postal Code	Postal Code		O	3	15		Not used
					N404	Country Code	Country Code		O	2	3		Not used
2100G Responsible Person													
NM1	Detail	2100G Responsible Person	030	NM1		Responsible Person			Situational			Loop identifies person responsible for the member. Responsible person is someone other than the subscriber. Data is intended for coverage programs that are not to be employment related, such as Medicare and Medicaid.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Segment is not used.
					NM101	Entity ID Code	Entity Identifier Code		M	2	3		Not used
					NM102	Entity Type Qualifier	Entity Type Qualifier		M	1	1		Not used
					NM103	Name Last/ Org Name	Name Last or Organization Name		O	1	35		Not used
					NM104	Name First	Name First		O	1	25		Not used
					NM105	Name Middle	Name Middle		O	1	25		Not used
					NM106	Name Prefix	Name Prefix		O	1	10		Not used
					NM107	Name Suffix	Name Suffix		O	1	10		Not used
					NM108	ID Code Qualifier	Identification Code Qualifier		X	1	2	Use of NM109 is required with NM108.	Not used
					NM109	ID Code	Identification Code		X	2	80	Use of NM108 is required with NM109.	Not used
PER	Detail	2100G Responsible Person	040	PER		Responsible Person Communications Numbers			Situational			When responsible person is applicable, segment identifies to whom administrative communications should be sent.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Segment is not used.
					PER01	Contact Funct Code	Contact Function Code		M	2	2		Not used
					PER02	Name - Not Used			n/a	1	60	Name - Not Used.	Not used
					PER03	Comm Number Qual	Communication Number Qualifier		X	2	2	If PER04 present then required.	Not used
					PER04	Comm Number	Communication Number		X	1	80	If PER03 present then required.	Not used
					PER05	Comm Number Qual	Communication Number Qualifier		X	2	2	If PER06 present then required.	Not used
					PER06	Comm Number	Communication Number		X	1	80	If PER05 present then required.	Not used
					PER07	Comm Number Qual	Communication Number Qualifier		X	2	2	If PER08 present then required.	Not used
					PER08	Comm Number	Communication Number		X	1	80	If PER07 present then required.	Not used
N3	Detail	2100G Responsible Person	050	N3		Responsible Person Street Address			Situational			When responsible person is applicable, segment identifies responsible address.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Segment is not used.
					N301	Address Information	Address Information		M	1	55		Not used
					N302	Address Information	Address Information		O	1	55		Not used
N4	Detail	2100G Responsible Person	060	N4		Responsible Person City, State, Zip			Situational			When responsible person is applicable, segment identifies responsible address.	Not a PeopleSoft delivered database element. Carrier information requirement can adequately be satisfied through the dependent member segments. Segment is not used.
					N401	City Name	City Name		O	2	30		Not used
					N402	State or Prov Code	State or Province Code		O	2	2		Not used
					N403	Postal Code	Postal Code		O	3	15		Not used
					N404	Country Code	Country Code		O	2	3		Not used

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		

2200 Disability Information													
DSB	Detail	2200 Disability Information	200	DSB		Disability Information			Situational			Segment used when enrolling or changing a disabled member. The DSB loop may only appear for the Subscriber.	DSB*3~
					DSB01	Disability Type Code	Disability Type Code		M	1	1	1 = Short Term Disability 2 = Long Term Disability 3 = Permanent or Total Disability 4 = No Disability	Valid Values: Set T = 2 Set P = 3 Set N = 4
Not used					DSB02	Quantity - Not Used						Not used	Not used
Not used					DSB03	Occupation Cd - Not Used						Not used	Not used
Not used					DSB04	Work Inty Code - Not Used						Not used	Not used
Not used					DSB05	Product Opt Cd - Not Used						Not used	Not used
Not used					DSB06	Monetary Amt - Not Used						Not used	Not used
DX					DSB07	Prod/Serv ID Qual	Product Service ID Qualifier		X	2	2	DX = International Classification of Diseases Clinical Modification(lcd-9-cm) Diagnosis If DSB09 present then required.	Not used
585					DSB08	Medical Code Value	Medical Code Value Diagnosis Code		X	1	15	Medical Code Value the only allowed value is 585 - End Stage Renal Disease If DSB08 present then required.	Not used

DTP	Detail	2200 Disability Information	210	DTP		Disability Eligibility Dates			Situational			Segment is used to send first and last date of disability.	DTP*360*D8*1996*1001~
					DTP01	Date/Time Qualifier	Date/Time Qualifier		M	3	3	360 = Disability Begin 361 = Disability End	360 = Disability Begin 361 = Disability End
D8					DTP02	Date Time Format Qual	Date Time Period Format Qualifier		M	2	3	D8 = Date expressed in CCYYMMDD.	Set to D8.
					DTP03	Date Time Period	Date Time Period Disability Eligibility Date		M	1	35	Disability Eligibility Date	Disability Eligibility Date

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		

2300 Health Coverage													
HD	Detail	2300 Health Coverage	260	HD		Health Coverage			Situational			Segment is used to enroll a new member or add, update, or terminate coverage for an existing member.	HD*021**HLT**IND~
					HD01	Maintenance Type Code	Maintenance Type Code		M	3	3	001 = Change 002 = Delete 021 = Addition 024 = Cancellation or termination 025 = Reinstatement 026 = Correction 030 = Audit or compare 032 = Employee Info Not Applicable	001 = Change 002 = Delete 021 = Addition 024 = Cancellation or termination 025 = Reinstatement 030 = Audit or Compare
Not used					HD02	Maint Reason - Not Used						Not used	Not Used
					HD03	Insurance Line Code	Insurance Line Code		O	2	3	AG = Preventive Care/Wellness AH = 24 Hour Care AJ = Medicare Risk AK = Mental Health DCP = Dental Capitation DEN = Dental EPO = Exclusive Provider Organization FAC = Facility HE = Hearing HLT = Health HMO = Health Maintenance Organization LTC = Long-Term Care LTD = Long-Term Disability MM = Major Medical MOD = Mail Order Drug PDG = Prescription Drug POS = Point of Service PPO = Preferred Provider Organization PRA = Practitioners STD = Short-Term Disability UR = Utilization Review VIS = Vision	Evaluate retro stack Valid Values : HLT PDG DEN VIS
					HD04	Plan Cvr Description	Plan Cvr Description		O	1	50	Use this element when additional information is needed by the insurer to describe the exact type of coverage being provided. If required by an insurer, this information must be included. The insurer establishes the content of this element.	Not applicable
					HD05	Coverage Level Code	Coverage Level Code		O	3	3	CHD = Children Only DEP = Dependents Only E1D = Employee and 1 Dependent E2D = Employee and 2 Dependents E3D = Employee and 3 Dependents E5D = Employee and 1 or More Dependents E6D = Employee and 2 or More Dependents E7D = Employee and 3 or More Dependents E8D = Employee and 4 or More Dependents E9D = Employee and 5 or More Dependents ECH = Employee and Children EMP = Employee Only ESP = Employee and Spouse FAM = Family IND = Individual SPC = Spouse and Children SPO = Spouse Only TWO = Two Party	Valid Values: IND FAM

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		

DTP	Detail	2300 Health Coverage	270	DTP		Health Coverage Eligibility Dates			Required			Segment contains the date that maintenance was performed or effective, and the benefit begin and end dates for the coverage.	DTP*348*D8*20000320~
					DTP01	Date/Time Qualifier	Date/Time Qualifier		M	3	3	303 = Maintenance Effective 348 = Benefit Begin 349 = Benefit End	Valid Values: 348 = Benefit Begin 349 = Benefit End 303 = Maintenance Effective
D8					DTP02	Date Time Format Qual	Date Time Period Format Qualifier		M	2	3	D8 = Date expressed in CCYYMMDD.	Set to D8.
					DTP03	Date Time Period	Date Time Period		M	1	35	Coverage Period	Coverage Period

REF	Detail	2300 Health Coverage	290	REF		Health Coverage Policy Number			Situational			Segment is used to identify a policy or group number for a particular insurance product if it has not already been identified in either REF02, position 1-030 or REF02, position 2-020. This is necessary when not all coverage types have the same group or policy.	REF*1L*001A01~
					REF01	Reference Ident Qual	Reference Identification Qualifier		M	2	3	17 = Client Reporting Category	Set to 1L
					REF02	Reference Ident	Reference Identification Insured Group or Policy Number		X	1	30	Insured Group or Policy Number At least one REF02 is required.	Join Benefit Plan and Benefit Program

HD	Detail	2300 Health Coverage	260	HD		Health Coverage			Situational			Segment is used to indicate Med D enrollment	HD*021**PDG~ (Medicare D Enrollment)
					HD01	Maintenance Type Code	Maintenance Type Code		M	3	3	001 = Change 002 = Delete 021 = Addition 024 = Cancellation or termination 025 = Reinstatement 026 = Correction 030 = Audit or compare 032 = Employee Info Not Applicable	001 = Change 002 = Delete 021 = Addition 024 = Cancellation or termination 025 = Reinstatement 030 = Audit or Compare

Not used					HD02	Maint Reason - Not Used						Not used	Not Used
					HD03	Insurance Line Code	Insurance Line Code		O	2	3	AG = Preventive Care/Wellness AH = 24 Hour Care AJ = Medicare Risk AK = Mental Health DCP = Dental Capitation DEN = Dental EPO = Exclusive Provider Organization FAC = Facility HE = Hearing HLT = Health HMO = Health Maintenance Organization LTC = Long-Term Care LTD = Long-Term Disability MM = Major Medical MOD = Mail Order Drug PDG = Prescription Drug POS = Point of Service PPO = Preferred Provider Organization PRA = Practitioners STD = Short-Term Disability UR = Utilization Review VIS = Vision	Evaluate retro stack Valid Values : PDG

					HD04	Plan Cvrq Description	Plan Cvrq Description		O	1	50	Use this element when additional information is needed by the insurer to describe the exact type of coverage being provided. If required by an insurer, this information must be included. The insurer establishes the content of this element.	Not applicable
--	--	--	--	--	------	-----------------------	-----------------------	--	---	---	----	---	----------------

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
					HD05		Coverage Level Code	Coverage Level Code	O	3	3	CHD = Children Only DEP = Dependents Only E1D = Employee and 1 Dependent E2D = Employee and 2 Dependents E3D = Employee and 3 Dependents E5D = Employee and 1 or More Dependents E6D = Employee and 2 or More Dependents E7D = Employee and 3 or More Dependents E8D = Employee and 4 or More Dependents E9D = Employee and 5 or More Dependents ECH = Employee and Children EMP = Employee Only ESP = Employee and Spouse FAM = Family IND = Individual SPC = Spouse and Children SPO = Spouse Only TWO = Two Party	Not applicable
DTP	Detail	2300 Health Coverage	270	DTP		Health Coverage Eligibility Dates			Required			Segment contains the date that maintenance was performed or effective, and the benefit begin and end dates for the coverage.	DTP*348*D8*20000320~
					DTP01		Date/Time Qualifier	Date/Time Qualifier	M	3	3	303 = Maintenance Effective 348 = Benefit Begin 349 = Benefit End	Valid Values: 348 = Benefit Begin 349 = Benefit End 303 = Maintenance Effective
D8					DTP02		Date Time Format Qual	Date Time Period Format Qualifier	M	2	3	D8 = Date expressed in CCYYMMDD.	Set to D8.
					DTP03		Date Time Period	Date Time Period Coverage Period	M	1	35	Coverage Period	Coverage Period
REF	Detail	2300 Health Coverage	290	REF		Health Coverage Policy Number			Situational			Segment is used to identify a policy or group number for a particular insurance product if it has not already been identified in either REF02, position 1-030 or REF02, position 2-020. This is necessary when not all coverage types have the same group or policy.	Not applicable
					REF01		Reference Ident Qual	Reference Identification Qualifier	M	2	3	17 = Client Reporting Category	Not applicable
					REF02		Reference Ident	Reference Identification Insured Group or Policy Number	X	1	30	Insured Group or Policy Number At least one REF02 is required.	Not applicable
IDC	Detail	2300 Health Coverage	300	IDC		Identification Card			Situational			Segment is used to request the production of an identification card due to an enrollment add, change, or statement. An enrollment statement refers to no change being made except to request a replacement ID card.	IDC*12345678901016*H~ Not used anymore
					IDC01		Plan Cvrq Description	Plan Coverage Description	M	1	50	A description or number that identifies the plan or coverage. Element used when additional information is needed by the insurer to identify the type of ID card that will be produced. If requested, this information must be established by the insurer. Set IDC01 to a single zero if this does not apply.	Set to the member's card number.
					IDC02		ID Card Type Code	ID Card Type Code	M	1	1	D = Dental Insurance H = Health Insurance P = Prescription Drug Insurance	D = Dental Insurance H = Health Insurance P = Prescription Drug Insurance
					IDC03		Quantity	Quantity Identification Card Count	O	1	15	Send only if quantity is greater than 1	Set to zero

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
					IDC04		Action Code	Action Code	O	1	2	1 = Add 2 = Change RX = Replace (no data change)	Set new enrollee to '1' Set changes to '2'
LX	Detail	2300 Health Coverage	310	LX		Provider Information			Situational			Loop provides information about primary care or capitated physicians and pharmacies chosen by the enrollee in a managed care plan when that selection is made through the sponsor. Use one iteration of the loop to identify each applicable health care service.	The scope of Nybeas does not include the maintenance of a PC P dictionary by DCS and does not provide for maintaining database records to support employee PCP selections and changes. The delivered interface will not include PCP data fields
					LX01		Assigned Number	Assigned Number	M	1	6	Number assigned for differentiation within a transaction set.	Not used

EDI 834 Transaction Set File Layout

Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
2310 Provider Information													
NM1	Detail	2310 Provider Information	320	NM1		Provider Name			Required			The National Provider ID should be passed in NM109. Until the NP ID is available the Federal Tax ID should be used. Fields NM103 through NM107 are used when the sponsor has the provider's name but does not pass the standard ID in NM109 because the ID is unknown or local regulations prevent using Social Security Numbers or Federal Tax IDs. If the entity code, NM102, is 1 for person and the name is being passed, NM103 and NM104 must be used and NM105, NM106 and NM107 may be used. When the name is being passed for a non-person entity, then use only NM103. NM104 through NM107 are not populated.	The scope of Nybeas does not include the maintenance of a PC P dictionary by DCS and does not provide for maintaining database records to support employee PCP selections and changes. The delivered interface will not include PCP data fields
						NM101	Entity ID Code	Entity Identifier Code	M	2	3		Not used
						NM102	Entity Type Qualifier	Entity Type Qualifier	M	1	1		Not used
						NM103	Name Last/ Org Name	Name Last or Organization Name	O	1	35		Not used
						NM104	Name First	Name First	O	1	25		Not used
						NM105	Name Middle	Name Middle	O	1	25		Not used
						NM106	Name Prefix	Name Prefix	O	1	10		Not used
						NM107	Name Suffix	Name Suffix	O	1	10		Not used
						NM108	ID Code Qualifier	Identification Code Qualifier	X	1	2	Use of NM109 is required with NM108.	Not used
						NM109	ID Code	Identification Code	X	2	80	Use of NM108 is required with NM109.	Not used
						NM110	Entity Relat Code	Entity Relationship Code	X	2	2		Not used

PLA	Detail	2310 Provider Information	395	PLA		PCP Change Reason			Situational			Segment is used to report the reason and the effective date that a member changes primary care provider.	The scope of Nybeas does not include the maintenance of a PC P dictionary by DCS and does not provide for maintaining database records to support employee PCP selections and changes. The delivered interface will not include PCP data fields
						PLA01	Action Code	Action Code	M	1	2		Not used
						PLA02	Entity ID Code	Entity Identifier Code	M	2	3		Not used
						PLA03	Date	Date	M	8	8		Not used
						PLA05	Maintain Reason Code	Maintain Reason Code	O	2	3		Not used

2320 Coordination of Benefits													
COB	Detail	2320 Coordination of Benefits	400	COB		Coordination of Benefits			Situational			Loop is used when an individual has another insurance plan with benefits similar to those covered by the insurance product specified in the HD segment for this occurrence of Loop ID-2300. COB information is provided by individual, not by subscriber.	COB*S*NYSHIP*1~ Used to indicate NYSHIP is Secondary due to Medicare D enrollment
						COB01	Payer Resp Seq No Code	Payer Responsibility Sequence Number Code	O	1	1	P = Primary S = Secondary T = Tertiary U = Unknown	Valid Values: S = Secondary
						COB02	Reference Ident	Reference Identification Insured Group or Policy Number	O	1	30	Insured Group or Policy Number	NYSHIP
						COB03	Benefits Coord Code	Coordination of Benefits Code	O	1	1	1 = Coordination of Benefits 5 = Unknown 6 = No Coordination of Benefits	1 = Coordination of Benefits

EDI 834 Transaction Set File Layout													
Data Field Values	Level	Loop	Position	Segment ID	Reference Designator	Segment Name	Data Element	Data Element Description	Requirement	Attribute		Comments	Notes / Examples
										Min	Max		
REF	Detail	2320 Coordination of Benefits	405	REF		Additional Coordination of Benefits Identifiers			Situational			Specifies COB identifying information.	The scope of Nybeas does not include the maintenance of a COB data by DCS. The delivered interface will not include PCP data fields
					REF01	Reference Ident Qual	Reference Identification Qualifier		M	2	3	1W = Member Identification Number 6O = Account Suffix Code 6P = Group Number A6 = Employee Identification Number SY = Social Security Number	Not used
					REF02	Reference Ident	Reference Identification		X	1	30	Insured Group or Policy Number At least one REF02 is required.	Not used
N1	Detail	2320 Coordination of Benefits	410	N1		Other Insurance Company Name			Situational			Identifies other insurance company (COB) by type, name, and code.	The scope of Nybeas does not include the maintenance of a COB data by DCS. The delivered interface will not include PCP data fields
IN					N101	Entity ID Code	Entity Identifier Code		M	2	3	IN = Insurer.	Not Used
					N102	Name	Entity Identifier Code		X	1	60	Insurer name.	Not Used
					N103	ID Code Qualifier	Entity Identifier Code		X	1	2	FI = Federal Taxpayers Identification Number. NI = National Association of Insurance Commissioners Identification. XV = Health Care Financing Administration National Payer Identification.	Not used
					N104	ID Code	Plan Sponsor		X	2	80	Insured Group or Policy Number	Not used
DTP	Detail	2320 Coordination of Benefits	450	DTP		Coordination of Benefits Eligibility Dates			Situational			Segment contains the dates for which coordination of benefits is in effect.	The scope of Nybeas does not include the maintenance of a COB data by DCS. The delivered interface will not include PCP data fields
					DTP01	Date/Time Qualifier	Date/Time Qualifier		M	3	3	344 = Coordination of benefits begin. 345 = Coordination of benefits end.	Not Used
D8					DTP02	Date Time Format Qual	Date Time Period Format Qualifier		M	2	3	D8 = Date expressed in CCYYMMDD.	Not Used
					DTP03	Date Time Period	Date Time Period		M	1	35	Date COB is in effect.	Not Used
Transaction Set Trailer													
SE	Trailer			SE		Transaction Set Trailer			Required			Indicates end of transaction set and provides a count of the segments.	SE*39*1 ~
					SE01	Number of Inc Segs	Number of Included Segments		M	1	10	Total number of segments in the transaction set including ST and SE.	System generated.
					SE02	TS Control Number	Transaction Set Control Number		M	4	9	Unique control number .	The transaction set control numbers in SE02 and ST02 must be identical. Assign starting with 0001 and increment forward. Control numbers are unique within a specific functional group but can repeat in other groups and interchanges.