

Column Name	alias	missing value	type	start	length	file missing value	format
PARENT	PARENT		Character(4)	1	. 4		ASCII
CREDAT	CREDAT		Character(8)	5	8		ASCII
CRESEQ	CRESEQ		Character(7)	13	7		ASCII
BRANCD	BRANCD		Character(4)	20	4		ASCII
BATDAT	BATDAT		Integer	24	. 7		ASCII
BATSEQ	BATSEQ		Character(5)	31	. 5		ASCII
SEQNUM	SEQNUM		Character(5)	36	5		ASCII
LINENBR	LINENBR		Character(3)	41	. 3		ASCII
ADJTYP	ADJTYP		Character(1)	44	1		ASCII
ORGBRN	ORGBRN		Character(4)	45	4		ASCII
ORGDAT	ORGDAT		Integer	49	7		ASCII
ORGSEQ	ORGSEQ		Character(5)	56	5		ASCII
ORGNUM	ORGNUM		Character(5)	61	. 5		ASCII
ORGLIN	ORGLIN		Character(3)	66	3		ASCII
MEMBNO	MEMBNO		Character(15)	69	15		ASCII
EMPREL	EMPREL		Character(1)	84	1		ASCII
MEMLST	MEMLST		Character(60)	85	60		ASCII
MEMFST	MEMFST		Character(35)	145	35		ASCII
MEMMID	MEMMID		Character(1)	180	1		ASCII
MEMAD1	MEMAD1		Character(55)	181	55		ASCII
MEMAD2	MEMAD2		Character(55)	236	55		ASCII
MEMCTY	MEMCTY		Character(30)	291	30		ASCII
MEMSTA	MEMSTA		Character(2)	321	. 2		ASCII
MEMZIP	MEMZIP		Character(10)	323	10		ASCII
MEMEFF	MEMEFF		Character(8)	333	8		ASCII
MEMALT	MEMALT		Character(15)	341	15		ASCII
SUBSNO	SUBSNO		Character(15)	356	15		ASCII
SUBLST	SUBLST		Character(60)	371	60		ASCII
SUBFST	SUBFST		Character(35)	431	35		ASCII
SUBMID	SUBMID		Character(1)	466	1		ASCII



Column Name	alias	missing value	type	start	length	file missing value	format
SUBAD1	SUBAD1		Character(55)	467	55		ASCII
SUBAD2	SUBAD2		Character(55)	522	55		ASCII
SUBCTY	SUBCTY		Character(30)	577	30		ASCII
SUBSTA	SUBSTA		Character(2)	607	2		ASCII
EMPZIP	EMPZIP		Character(10)	609	10		ASCII
EMPSSN	EMPSSN		Character(12)	619	12		ASCII
SUBBTH	SUBBTH		Character(8)	631	8		ASCII
SUBSEX	SUBSEX		Character(1)	639	1		ASCII
SUBALT	SUBALT		Character(15)	640	15		ASCII
FORMCD	FORMCD		Character(1)	655	1		ASCII
CLMTYP	CLMTYP		Character(2)	656	2		ASCII
PDNTWK	PDNTWK		Character(2)	658	2		ASCII
PROVNO	PROVNO		Character(15)	660	15		ASCII
NPI	NPI		Character(10)	675	10		ASCII
PRVORG	PRVORG		Character(4)	685	4		ASCII
PROVTYPE	PROVTYPE		Character(2)	689	2		ASCII
LICENO	LICENO		Character(15)	691	15		ASCII
NTWKPROV	NTWKPROV		Character(2)	706	2		ASCII
PROVLASTNAME	PROVLASTNAME		Character(60)	708	60		ASCII
PROVFIRSTNAME	PROVFIRSTNAME		Character(35)	768	35		ASCII
PROVMIDINIT	PROVMIDINIT		Character(1)	803	1		ASCII
PRVTTL	PRVTTL		Character(4)	804	4		ASCII
PROVADDR1	PROVADDR1		Character(55)	808	55		ASCII
PROVADDR2	PROVADDR2		Character(55)	863	55		ASCII
PROVCITY	PROVCITY		Character(30)	918	30		ASCII
PROVST	PROVST		Character(2)	948	2		ASCII
PROVZIP	PROVZIP		Character(10)	950	10		ASCII
PROVID	PROVID		Character(15)	960	15		ASCII
PCPNUM	PCPNUM		Character(15)	975	15		ASCII
PCPLST	PCPLST		Character(60)	990	60		ASCII
PCPFST	PCPFST		Character(35)	1050	35		ASCII
PCPMID	PCPMID		Character(1)	1085	1		ASCII
PCPTTL	PCPTTL		Character(4)	1086	4		ASCII



Column Name	alias	missing value	type	start	length	file missing value	format
PCPAD1	PCPAD1		Character(55)	1090	55		ASCII
PCPAD2	PCPAD2		Character(55)	1145	55		ASCII
PCPCTY	PCPCTY		Character(30)	1200	30		ASCII
PCPSTA	PCPSTA		Character(2)	1230	2		ASCII
PCPZIP	PCPZIP		Character(10)	1232	10		ASCII
UNITS	UNITS		Character(4)	1242	4		ASCII
CHGSUBMIT	CHGSUBMIT		Integer	1246	12		ASCII
CHGALLOW	CHGALLOW		Integer	1258	12		ASCII
DEDUCTAMT	DEDUCTAMT		Integer	1270	12		ASCII
COINSAMT	COINSAMT		Integer	1282	12		ASCII
COPAYAMT	COPAYAMT		Integer	1294	12		ASCII
WITHHOLD	WITHHOLD		Integer	1306	12		ASCII
NONAMT	NONAMT		Integer	1318	12		ASCII
THIRDPARTY	THIRDPARTY		Integer	1330	12		ASCII
PREAMT	PREAMT		Integer	1342	12		ASCII
DISCAMT	DISCAMT		Integer	1354	12		ASCII
CPAICN	CPAICN		Character(16)	1366	16		ASCII
ELGDNY	ELGDNY		Character(1)	1382	1		ASCII
INSCOD	INSCOD		Character(3)	1383	3		ASCII
PATAMT	PATAMT		Integer	1386	12		ASCII
USERID	USERID		Character(8)	1398	8		ASCII
DSTATUS	DSTATUS		Character(2)	1406	2		ASCII
PATNUM	PATNUM		Character(38)	1408	38		ASCII
GENDER	GENDER		Character(1)	1446	1		ASCII
PATDOB	PATDOB		Character(8)	1447	8		ASCII
BILLTYPCD	BILLTYPCD		Character(3)	1455	3		ASCII
GRPNUM	GRPNUM		Character(6)	1458	6		ASCII
PLACE	PLACE		Character(2)	1464	2		ASCII
TOSCOD	TOSCOD		Character(2)	1466	2		ASCII
FIRSTSVCDT	FIRSTSVCDT		Character(8)	1468	8		ASCII
LASTSVCDT	LASTSVCDT		Character(8)	1476	8		ASCII
FILLER_1484_6	FILLER_1484_6		Character(6)	1484	6		ASCII
PROCMOD1	PROCMOD1		Character(2)	1490	2		ASCII



Column Name	alias	missing value	type	start	length file missing va	lue format
PROCMOD2	PROCMOD2		Character(2)	1492	2	ASCII
PROCMOD3	PROCMOD3		Character(2)	1494	2	ASCII
PROCMOD4	PROCMOD4		Character(2)	1496	2	ASCII
FEECOD	FEECOD		Character(6)	1498	6	ASCII
TYPCOD	TYPCOD		Character(2)	1504	2	ASCII
QTYSVCS	QTYSVCS		Integer	1506	4	ASCII
NETPAY	NETPAY		Integer	1510	18	ASCII
SYSDAT	SYSDAT		Character(8)	1528	8	ASCII
DXLINELEVEL1	DXLINELEVEL1		Character(8)	1536	8	ASCII
DXLINELEVEL2	DXLINELEVEL2		Character(8)	1544	8	ASCII
DXLINELEVEL3	DXLINELEVEL3		Character(8)	1552	8	ASCII
DXLINELEVEL4	DXLINELEVEL4		Character(8)	1560	8	ASCII
DX1	DX1		Character(8)	1568	8	ASCII
DX2	DX2		Character(8)	1576	8	ASCII
DX3	DX3		Character(8)	1584	8	ASCII
DX4	DX4		Character(8)	1592	8	ASCII
DX5	DX5		Character(8)	1600	8	ASCII
DX6	DX6		Character(8)	1608	8	ASCII
DX7	DX7		Character(8)	1616	8	ASCII
DX8	DX8		Character(8)	1624	8	ASCII
DX9	DX9		Character(8)	1632	8	ASCII
DX10	DX10		Character(8)	1640	8	ASCII
DX11	DX11		Character(8)	1648	8	ASCII
DX12	DX12		Character(8)	1656	8	ASCII
DX13	DX13		Character(8)	1664	8	ASCII
DX14	DX14		Character(8)	1672	8	ASCII
DX15	DX15		Character(8)	1680	8	ASCII
DX16	DX16		Character(8)	1688	8	ASCII
DX17	DX17		Character(8)	1696	8	ASCII
DX18	DX18		Character(8)	1704	8	ASCII
ADMITDX	ADMITDX		Character(8)	1712	8	ASCII
PAIDDT	PAIDDT		Character(8)	1720	8	ASCII
BENCOD	BENCOD		Character(3)	1728	3	ASCII



Column Name	alias	missing value	type	start	length	file missing value	format
BENPKG	BENPKG		Character(4)	1731	4		ASCII
HLDCD1	HLDCD1		Character(4)	1735	4		ASCII
HLDCD2	HLDCD2		Character(4)	1739	4		ASCII
HLDCD3	HLDCD3		Character(4)	1743	4		ASCII
HLDCD4	HLDCD4		Character(4)	1747	4		ASCII
HLDCD5	HLDCD5		Character(4)	1751	4		ASCII
EOPCD1	EOPCD1		Character(3)	1755	3		ASCII
EOPCD2	EOPCD2		Character(3)	1758	3		ASCII
EOPCD3	EOPCD3		Character(3)	1761	3		ASCII
EOPCD4	EOPCD4		Character(3)	1764	3		ASCII
EOPCD5	EOPCD5		Character(3)	1767	3		ASCII
HOSBEG	HOSBEG		Character(8)	1770	8		ASCII
HOSEND	HOSEND		Character(8)	1778	8		ASCII
ACCTIM	ACCTIM		Character(2)	1786	2		ASCII
DISTIM	DISTIM		Character(2)	1788	2		ASCII
ALTPROVID	ALTPROVID		Character(15)	1790	15		ASCII
MXBDAT	MXBDAT		Character(8)	1805	8		ASCII
MXEDAT	MXEDAT		Character(8)	1813	8		ASCII
MXSDAT	MXSDAT		Character(8)	1821	8		ASCII
ADMITTYP	ADMITTYP		Character(1)	1829	1		ASCII
RCVDAT	RCVDAT		Character(8)	1830	8		ASCII
ATHBCH	ATHBCH		Character(4)	1838	4		ASCII
ATHDAT	ATHDAT		Integer	1842	7		ASCII
ATHBAT	ATHBAT		Character(5)	1849	5		ASCII
ATHSEQ	ATHSEQ		Character(5)	1854	5		ASCII
ATHTYP	ATHTYP		Character(1)	1859	1		ASCII
DISTAT	DISTAT		Character(2)	1860	2		ASCII
PROVFR	PROVFR		Character(15)	1862	15		ASCII
CHKNUM	CHKNUM		Character(10)	1877	10		ASCII
DAYSNCOV	DAYSNCOV		Character(3)	1887	3		ASCII
SUBTID	SUBTID		Character(16)	1890	16		ASCII
USRNUM	USRNUM		Character(18)	1906	18		ASCII
SVCID	SVCID		Character(15)	1924	15		ASCII



Column Name	alias	missing value	type	start	length	file missing value	format
SVCNPI	SVCNPI		Character(10)	1939	10		ASCII
SVCLASTNAME	SVCLASTNAME		Character(60)	1949	60		ASCII
SVCFIRSTNAME	SVCFIRSTNAME		Character(35)	2009	35		ASCII
SVCMIDINIT	SVCMIDINIT		Character(1)	2044	1		ASCII
SVCTITLE	SVCTITLE		Character(4)	2045	4		ASCII
SVCADDR1	SVCADDR1		Character(55)	2049	55		ASCII
SVCADDR2	SVCADDR2		Character(55)	2104	55		ASCII
SVCCITY	SVCCITY		Character(30)	2159	30		ASCII
SVCST	SVCST		Character(2)	2189	2		ASCII
SVCZIP	SVCZIP		Character(10)	2191	10		ASCII
PAYVEN	PAYVEN		Character(15)	2201	15		ASCII
PAYNPI	PAYNPI		Character(10)	2216	10		ASCII
PDVFED	PDVFED		Character(16)	2226	16		ASCII
PDVLST	PDVLST		Character(60)	2242	60		ASCII
PDVFST	PDVFST		Character(35)	2302	35		ASCII
PDVMID	PDVMID		Character(1)	2337	1		ASCII
PDVTTL	PDVTTL		Character(4)	2338	4		ASCII
PDVAD1	PDVAD1		Character(55)	2342	55		ASCII
PDVAD2	PDVAD2		Character(55)	2397	55		ASCII
PDVCTY	PDVCTY		Character(30)	2452	30		ASCII
PDVSTA	PDVSTA		Character(2)	2482	2		ASCII
PDVZIP	PDVZIP		Character(10)	2484	10		ASCII
RCVAMT	RCVAMT		Integer	2494	12		ASCII
TIERCD	TIERCD		Character(4)	2506	4		ASCII
PAYCOD	PAYCOD		Character(1)	2510	1		ASCII
ORIGPD	ORIGPD		Character(8)	2511	8		ASCII
ORIGCK	ORIGCK		Character(10)	2519	10		ASCII
PSTDAT	PSTDAT		Character(8)	2529	8		ASCII
PROCOD	PROCOD		Character(3)	2537	3		ASCII
MEMEXP	MEMEXP		Character(8)	2540	8		ASCII
PROVSSN	PROVSSN		Character(12)	2548	12		ASCII
PROVSPCLTY	PROVSPCLTY		Character(5)	2560	5		ASCII
PRVMED	PRVMED		Character(15)	2565	15		ASCII



Column Name	alias	missing value	type	start	length	file missing value	format
TOTCLA	TOTCLA		Integer	2580	15		ASCII
ADMSRC	ADMSRC		Character(1)	2595	1		ASCII
FILLER_2596_36	FILLER_2596_36		Character(36)	2596	36		ASCII
SVCDT1	SVCDT1		Character(8)	2632	8		ASCII
SVCDT2	SVCDT2		Character(8)	2640	8		ASCII
SVCDT3	SVCDT3		Character(8)	2648	8		ASCII
SVCDT4	SVCDT4		Character(8)	2656	8		ASCII
SVCDT5	SVCDT5		Character(8)	2664	8		ASCII
SVCDT6	SVCDT6		Character(8)	2672	8		ASCII
SPNCOD	SPNCOD		Character(2)	2680	2		ASCII
SPNBEG	SPNBEG		Character(8)	2682	8		ASCII
SPNEND	SPNEND		Character(8)	2690	8		ASCII
PMTCD1	PMTCD1		Character(2)	2698	2		ASCII
PMTDT1	PMTDT1		Character(8)	2700	8		ASCII
PMTCD2	PMTCD2		Character(2)	2708	2		ASCII
PMTDT2	PMTDT2		Character(8)	2710	8		ASCII
PMTCD3	PMTCD3		Character(2)	2718	2		ASCII
PMTDT3	PMTDT3		Character(8)	2720	8		ASCII
PMTCD4	PMTCD4		Character(2)	2728	2		ASCII
PMTDT4	PMTDT4		Character(8)	2730	8		ASCII
PMTCD5	PMTCD5		Character(2)	2738	2		ASCII
PMTDT5	PMTDT5		Character(8)	2740	8		ASCII
VALCD1	VALCD1		Character(2)	2748	2		ASCII
VALAM1	VALAM1		Integer	2750	12		ASCII
VALCD2	VALCD2		Character(2)	2762	2		ASCII
VALAM2	VALAM2		Integer	2764	12		ASCII
VALCD3	VALCD3		Character(2)	2776	2		ASCII
VALAM3	VALAM3		Integer	2778	12		ASCII
INSCD2	INSCD2		Character(3)	2790	3		ASCII
GRPPOL	GRPPOL		Character(60)	2793	60		ASCII
MEMNUM	MEMNUM		Character(30)	2853	30		ASCII
TOTPAD	TOTPAD		Integer	2883	15		ASCII
EMGCOD	EMGCOD		Character(1)	2898	1		ASCII

ATTACHMENT 32



Column Name	alias	missing value	type	start	length	file missing value	format
SVCCOD	SVCCOD		Character(8)	2899	8		ASCII
HCAFACID	HCAFACID		Character(5)	2907	5		ASCII
HCANTWIND	HCANTWIND		Character(3)	2912	3		ASCII
ICDPROCCD01	ICDPROCCD01		Character(8)	2915	8		ASCII
ICDPROCCD02	ICDPROCCD02		Character(8)	2923	8		ASCII
ICDPROCCD03	ICDPROCCD03		Character(8)	2931	8		ASCII
ICDPROCCD04	ICDPROCCD04		Character(8)	2939	8		ASCII
ICDPROCCD05	ICDPROCCD05		Character(8)	2947	8		ASCII
ICDPROCCD06	ICDPROCCD06		Character(8)	2955	8		ASCII
ICDVERSCD	ICDVERSCD		Character(1)	2963	1		ASCII
CUSTOM_FILLER_30	CUSTOM_FILLER_30		Character(30)	2964	30		ASCII
CUSTOM_FILLER_55	CUSTOM_FILLER_55		Character(55)	2994	55		ASCII
END_FILLER_Z	END_FILLER_Z		Character(1)	3049	1		ASCII